

## AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

1-26. (Cancelled)

27. (Currently amended) A method for purifying AAV and/or AAV particles by using a structural protein of adeno-associated virus (AAV), wherein the structural protein comprises at least one mutation located on the virus surface which brings about an alteration in the chromatographic properties of the virus.
28. (Currently amended) The method as claimed in claim 27, wherein the alteration in the chromatographic properties makes possible an improvement in the purification ~~optionally~~ selected from the group consisting of a concentration of the virus, ~~preferably of the virus particles~~, to higher titers, a concentration of the virus particles to higher titers, a purification to greater purity, and a more efficient purification.
29. (Previously presented) The method as claimed in claim 27, wherein the mutation brings about a negligible reduction in the infectivity of the virus.
30. (Previously presented) The method as claimed in claim 27, wherein the mutated structural protein is capable of particle formation.
31. (Previously presented) The method as claimed in claim 27, wherein the mutated structural protein increases the thermal stability.
32. (Previously presented) The method as claimed in claim 27, wherein the structural

protein is selected from the group consisting of mutated VP1, mutated VP2, and mutated VP3.

33. (Previously presented) The method as claimed in claim 27, wherein the structural protein is derived from the group consisting of AAV1, AAV2, AAV3, AAV4, AAV5, AAV6, and other AAV serotypes derived therefrom.
34. (Currently amended) The method as claimed in claim 27, wherein the mutation in the structural protein is selected from the group consisting of a point mutation, a mutation of more than one amino acid, one or more deletion(s), ~~in particular one or more~~ insertion(s), and a combination of said modifications.
35. (Currently amended) The method as claimed in claim 27, wherein amino acids of a functional sequence, ~~which are preferably suitable for affinity chromatography,~~ are inserted into the structural protein.
36. (Currently amended) The method as claimed in claim 35, wherein the inserted amino acid sequence is selected from the group consisting of a ligand of a receptor, the receptor of a ligand, an antibody, part of an antibody, ~~in particular an antibody epitope,~~ an antigen, an antigen epitope, a hormone, a hormone receptor, an enzyme, an enzyme substrate, a lectin, sugar-bearing amino acids, sugar-bearing amino acids ~~in particular~~ from a histidine-rich peptide (His tag), a multiply charged peptide, glutathione S-transferase (GST tag), an F<sub>c</sub> part of an antibody, an immunoglobulin-binding domain, ~~for example protein A, or protein G, an immunoglobulin-binding domain or a part thereof~~ of protein A, an immunoglobulin-binding domain part of protein G, a lectin, a nucleic acid binding site, a heparin binding site, a specific ligand, a specific receptor, an integrin, a cytokine, a receptor binding domain of a cytokine, ~~integrin,~~ a growth factor,

single-chain antibodies which bind to a cell surface receptor, an antibody against cell surface structures, an epitope, and an antibody-binding structure.

37. (Previously presented) The method as claimed in claim 35, wherein a peptide which has the sequence QAGTFALRGDNPQG (SEQ ID NO: 1) is inserted into the structural protein.
38. (Previously presented) The method as claimed in claim 27, wherein the structural protein comprises at least one other mutation.
39. (Previously presented) The method as claimed in claim 38, wherein the other mutation(s) in the structural protein bring(s) about an alteration in the infectivity of the virus.
40. (Previously presented) The method as claimed in claim 38, wherein the other mutation(s) in the structural protein bring(s) about a reduction in the antigenicity of the virus.
41. (Previously presented) The method as claimed in claim 38, wherein the other mutation(s) in the structural protein is/are selected from the group consisting of one or more deletion(s), one or more insertion(s), and a combination of said modifications.
42. (Previously presented) The method as claimed in claim 38, wherein the insertion into the structural protein is selected from the group consisting of a cell membrane receptor ligand, a Rep protein, a Rep peptide, an immunosuppressive protein, an immunosuppressive peptide, a protein with a signal for double strand synthesis of the foreign gene, and a peptide with a signal for double strand synthesis of the foreign gene.

43. (Currently amended) The method as claimed in claim 38, wherein the insertion into the structural protein is selected from the group consisting of an integrin, a cytokine, a receptor binding domain of a cytokine, ~~integrin~~, a growth factor, single-chain antibodies which bind to a cell surface receptor, an antibody against cell surface structures, an antibody-binding structure, and an epitope.
44. (Cancelled)
45. (Previously presented) The method as claimed in claim 38, wherein the additional mutation(s) in the structural protein is/are located on the virus surface.
46. (Previously presented) The method as claimed in claim 27, wherein the mutation(s) is/are located at the N terminus of the structural protein.
47. (Previously presented) The method as claimed in claim 38, wherein the additional mutation(s) is/are located at the N terminus of the structural protein.
48. (Previously presented) The method as claimed in claim 27, wherein the mutation(s) in the structural protein is/are brought about by one or more insertions in the XhoI cleavage site of the VP1-encoding nucleic acid.
49. (Previously presented) The method as claimed in claim 38, wherein the additional mutation(s) in the structural protein is/are brought about by one or more insertions in the XhoI cleavage site of the VP1-encoding nucleic acid.
50. (Previously presented) The method as claimed in claim 27, wherein the mutation(s) in

the structural protein is/are brought about by one or more insertions in the BsrBI cleavage site of the VP1-encoding nucleic acid.

51. (Previously presented) The method as claimed in claim 38, wherein the additional mutation(s) in the structural protein is/are brought about by one or more insertions in the BsrBI cleavage site of the VP1-encoding nucleic acid.
52. (Previously presented) The method as claimed in claim 27, wherein the mutation(s) in the structural protein is/are brought about by one or more deletions between the BsrBI-HindII cleavage sites of the VP1-encoding nucleic acid, and one or more insertions.
53. (Previously presented) The method as claimed in claim 38, wherein the additional mutation(s) in the structural protein is/are brought about by one or more deletions between the BsrBI-HindII cleavage sites of the VP1-encoding nucleic acid, and one or more insertions.
54. (Previously presented) The method as claimed in claim 27, wherein the mutation(s) in the structural protein is/are brought about by one or more deletions between the XhoI-XhoI cleavage sites of the VP1-encoding nucleic acid.
55. (Previously presented) The method as claimed in claim 27, wherein the additional mutation(s) in the structural protein is/are brought about by one or more deletions between the XhoI-XhoI cleavage sites of the VP1-encoding nucleic acid.
56. (Previously presented) The method as claimed in claim 27, wherein the mutation(s) in the structural protein is/are brought about by one or more deletions between the BsrBI-HindII cleavage sites of the VP1-encoding nucleic acid.

57. (Previously presented) The method as claimed in claim 38, wherein the additional mutation(s) is/are brought about by one or more deletions between the BsrBI-HindII cleavage sites of the VP1-encoding nucleic acid.
58. (Previously presented) The method as claimed in claim 27, wherein one or more insertions in VP3 is/are located before and/or after at least one amino acid in the sequence selected from the group consisting of YKQIS SQSGA (SEQ ID NO: 2), YLTLN NGSQA (SEQ ID NO: 3), YYLSR TNTPS (SEQ ID NO: 4), EEKFF PQSGV (SEQ ID NO: 5), NPVAT EQYGS (SEQ ID NO: 6 and 7), LQRGN RQAAT (SEQ ID NO: 8), and NVDFT VDTNG (SEQ ID NO: 9).
59. (Previously presented) The method as claimed in claim 38, wherein one or more additional insertion(s) in VP3 is/are located before and/or after at least one amino acid in the sequence selected from the group consisting of YKQIS SQSGA (SEQ ID NO: 2), YLTLN NGSQA (SEQ ID NO: 3), YYLSR TNTPS (SEQ ID NO: 4), EEKFF PQSGV (SEQ ID NO: 5), NPVAT EQYGS (SEQ ID NO: 6 and 7), LQRGN RQAAT (SEQ ID NO: 8), and NVDFT VDTNG (SEQ ID NO: 9).
60. (Currently amended) The method as claimed in claim 27, using the structural protein in the form of an AAV particle, ~~in particular in the form of an AAV capsid.~~
61. (Currently amended) The method as claimed in claim 38, using the structural protein in the form of an AAV particle, ~~in particular in the form of an AAV capsid.~~
62. (New) The method as claimed in claim 35, wherein the amino acids of a functional sequence are suitable for affinity chromatography.

63. (New) The method as claimed in claim 27, using the structural protein in the form of an AAV capsid.
64. (New) The method as claimed in claim 38, using the structural protein in the form of an AAV capsid.